No.
 G007-3235

 ISSUED:
 JUL. 27, 2009

 REVISED:
 JUL. 12, 2011

 SERVICE INFORMATION



HOSHIZAKI ICE STORAGE BIN

MODEL B-210SA

PARTS LIST

AUXILIARY CODE

<u>U-1</u>

The auxiliary code is the first two characters in the serial number. The first character indicates the production year. Years progress or regress in alphabetical order. The series of letters and skipped letters depend on UL listing, production, and model. See the auxiliary code(s) and corresponding year(s) on the front cover.

The second character indicates significant part changes within the same year. Base is "1" and this number advances for each change. If there is no significant part change at the turn of the year, this number starts from "0."

MARKS LOCATED UNDER THE AUXILIARY CODE

- = Part deleted.
- x = Part deleted and replaced by "o" part.
- o = New part in place of "x" part.

FASTENER PART NUMBER

SCREWS

Special treatment (0 - 9)

Material *1


Length (mm)

Nominal diameter (mm)

Description *2

Fastener

NUTS & WASHERS



*1 Material

- F: Steel
- S: Austenitic stainless steel
- M: Martensitic stainless steel
- B: Copper alloy
- P: Polycarbonate
- N: Polyamide
- V: PVC
- A: ABS
- X: Polyacetal
- L: Aluminum

*2 Description

First letter

S: Machine screw


T: Tapping screw

M: Wood screw

B: Bolt


W: Washer


N: Nut



CHINA

MODEL: B-210SA TITLE: A. BIN ASSEMBLY											
INDEX NO.	DESCRIPTION	MATERIAL OR MODEL NUMBER	PART NUMBER	REQ'D NUMBER							
				U-1							
В	ACCESSORIES		A01904-01	1							
1	BAFFLE - 5		119678P01	1							
2	THUMBSCREW		415949G12	4							
3	THUMBSCREW		434168G01	2							
4	GASKET		474046P01	2							
5	GASKET		474046P02	2							
6	HINGE (R)		474049G01	1							
7	HINGE (L)		474048G01	1							
8	DOOR - 5		257304G01	1							
9	FLANGE BOLT	SUS 5x16	445994-02	4							





CHINA

MODEL: B-210SA TITLE: B. ACCESSORIES										
INDEX NO.	DESCRIPTION	MATERIAL OR MODEL NUMBER	PART NUMBER	REQ'D NUMBER						
				U-1						
1	SCOOP		208185-01	1						
2	LEG		P00316-01	4						